



P/2699-25

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Yasuhiro MIZOHATA et al.

Serial No.: 10/620,728

Filed: July 16, 2003

Confirmation No.: 9065

Date: July 31, 2006

Group Art Unit: 1742

Examiner: Harry D. Wilkins III

For: PLATING APPARATUS, CARTRIDGE AND COPPER DISSOLUTION TANK FOR
USE IN THE PLATING APPARATUS, AND PLATING METHOD

Mail Stop RCE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AFTER FINAL REJECTION

Sir:

This is a response to the Office Action mailed March 30, 2006 in the above-identified application. Reconsideration of the application is respectfully requested.

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge the underpayment to Deposit Account No. 15-0700.

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 15-0700.

SUMMARY OF AMENDMENTS

1. ☐ If checked, an abstract (an amended abstract) is submitted herewith.
2. ☐ If checked, amendment(s) to the drawings are submitted herewith.
3. ☐ If checked, amendment(s) to the specification are submitted herewith.
4. ☒ If checked, amendment(s) to the claims are submitted herewith.